

VPR-APS

Height: 26.6" Width: 8.7" Depth: 15.9"
(67.6cm) (22.1cm) (40.4cm)



- Internal components are constructed from stainless steel
- Just pour cold water in top and coffee brews immediately
- Pourover brewer requires no plumbing – completely portable
- SplashGard® funnel deflects hot liquids away from the hand
- Accommodates 1.9 to 3L airpots
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

 Server(s) sold separately

Agency:



Specifications

Product #: 33200.0010

Water Access: Not Plumbed

Finish: Black

Funnel: Black Plastic

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120	11.5	1375	Yes	NEMA 5-15P	62	60°F (15.5°C)	1	2	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
-	-	-	-

CAD Drawings


2D	Revit	KLC
●		

 **WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	26.6 in.	8.7 in.	15.9 in.	28.5 in.	12.0 in.	18.4 in.	22.200 lbs	3.637 ft ³
Metric	67.6 cm	22.1 cm	40.4 cm	72.4 cm	30.5 cm	46.7 cm	10.070 kgs	0.103 m ³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Related Products & Accessories:VPR-APS(33200.0010)

				
FUNNEL W/DECAL,PPK NAR BLK(SM)	FUNNEL W/DECAL,PPK NAR BLK(LG)	FILTERS,REGULAR1M 500/2 50/CL	FUNNEL ASSY, SST-BLK HDL(7.12	FUNNEL ASSY, SST-PP BLK HNDL
Product #: 02774.0011 ²	Product #: 04274.0012 ²	Product #: 20115.0000	Product #: 20216.0000 ²	Product #: 29151.0000 ²


FUNNEL ASSY,SST-PP ORANGE HDL
Product #: 29151.0001 ²

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



Serving & Holding Options: VPR-APS(33200.0010)

 AIRPOT, 2.5L SST LA SINGLE PK Product #: 32125.0000⁶ Mfr#:SVAP-2500F-N	 AIRPOT, 2.5L SST LA 6/ CASE Product #: 32125.0100⁶ Mfr#:SVAP-2500F-N	 AIRPOT, 3.0L SST LA SINGLE PK Product #: 32130.0000⁶ Mfr#:SVAP-3000F-N	 AIRPOT, 3.0L SST LA 6/ CASE Product #: 32130.0100⁶ Mfr#:SVAP-3000F-N	 AIRPOT, 2.2L GL LA SINGLE PACK Product #: 32700.0100
 AIRPOT, 3.8L SST LA SINGLE PK Product #: 36725.0000⁶ Mfr#:SVAP-3800F-N	 AIRPOT, 3.8L SST LA 6/ CASE Product #: 36725.0100⁶ Mfr#:SVAP-3800F-N			

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



