

TCD-2 w/2 Nozzles & Solid Lid

Height: 22.9" Width: 12.8" Depth: 16.8"
(58.2cm) (32.5cm) (42.7cm)



- Accommodates two, 1gal (3.8L) jugs in top of container, or bag-in-box
- Built-in pressure regulator provides consistent product to water ratio
- Mixes a range of 5:1 to 15:1 concentrate to water ratio
- Rear shut-off valve for cleaning dispenser
- Side off-set handles for side-by-side placement
- Solid plastic lid
- Venturi valve creates siphon pulling product through to mixing valve

Agency:



Specifications

Product #: 37750.0002

Lid Color: Solid Stainless Lid

Water Access: Plumbed

Finish: Stainless

Handle: Side Carry Handles

Additional Features

Standard Dispense Faucet

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	-	60°F (15.5°C)	-	-	-

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

WARNING:


CAD Drawings

2D	Revit	KLC
●		






BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Last Updated:
07/21/2026



TCD-1



TCD-2



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	22.9 in.	12.8 in.	16.8 in.	16.3 in.	19.6 in.	24.6 in.	18.250 lbs	4.545 ft ³
Metric	58.2 cm	32.5 cm	42.7 cm	41.3 cm	49.8 cm	62.5 cm	8.278 kgs	0.129 m ³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Related Products & Accessories:TCD-2 w/2 Nozzles & Solid Lid(37750.0002)

		
DRIP TRAY, TDO/TCD	WIRE GRILL,DRIP TRAY (SINGLE)	DRIP TRAY KIT, TCD/TDO
Product #: 03207.0004	Product #: 26801.0000	Product #: 38029.1000

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



Serving & Holding Options: TCD-2 w/2 Nozzles & Solid Lid(37750.0002)

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

