

AXIOM®-DV-3 (3 Lower Warmers)

Height: 16.8" Width: 16.3" Depth: 22.1"
(42.7cm) (41.4cm) (56.1cm)



- Adjusts automatically to varying water pressure
- Automatic warmer shut-off
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Electronic diagnostics and built-in tank drain make service easier
- Ensure coffee quality with programming for brew level, cold brew lock-out and tank temperature, set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature control
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Energy-saver mode reduces tank temperature during idle periods
- Hot water faucet
- SplashGard® funnel deflects hot liquids away from the hand
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

 Server(s) sold separately

Agency:



Specifications

Product #: 38700.0009

Faucet: Upper

Water Access: Plumbed

Warmers: Three Lower

Finish: Stainless

Funnel: Black Plastic

Additional Features

DBC

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120	15	1800	Yes	NEMA 5-15P	67	60°F (15.5°C)	1	2	60
120/208	16	2980	-	N/A	121	60°F (15.5°C)	1	3	60
120/240	18	3850	-	N/A	121	60°F (15.5°C)	1	3	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

CAD Drawings


2D	Revit	KLC
●		

 **WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	16.8 in.	16.3 in.	22.1 in.	22.4 in.	19.9 in.	25.8 in.	38.100 lbs	6.643 ft ³
Metric	42.7 cm	41.4 cm	56.1 cm	56.8 cm	50.5 cm	65.6 cm	17.282 kgs	0.188 m ³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Related Products & Accessories:AXIOM®-DV-3 (3 Lower Warmers)(38700.0009)

 FUNNEL W/DECAL,PPK NAR BLK(SM) Product #: 02774.0011²	 FUNNEL W/DECAL,PPK NAR BLK(LG) Product #: 04274.0012²	 FILTERS,REGULAR1M 500/2 50/CL Product #: 20115.0000	 FUNNEL ASSY, SST-BLK HDL(7.12) Product #: 20216.0000²	 FUNNEL W/DECALS, BLACK PLASTIC Product #: 20583.0003²
 FUNNEL ASSY, SST-PP BLK HDL Product #: 29151.0000²	 FUNNEL ASSY,SST-PP ORANGE HDL Product #: 29151.0001²	 WATER FILTER SYSTEM,EQ-17-TL Product #: 30200.1000³	 WATER FILTER,IN LINE ED-17-TL Product #: 30201.1001³	 SYSTEM, WEQ-10(1.5)5L Product #: 56000.0024¹
 CARTRIDGE, WEQ-10 (1.5)5L Product #: 56000.0121¹	 CARTRIDGE, WEQ-10.3 (1.67)5L Product #: 56000.0137¹			

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified

Serving & Holding Options: AXIOM®-DV-3 (3 Lower Warmers)(38700.0009)

 EASY POUR®,(BLK) 1/CS Product #: 06100.0101	 EASY POUR®,(BLK) 2/CS Product #: 06100.0102	 EASY POUR®,(BLK) 3/CS Product #: 06100.0103	 EASY POUR®,(BLK) 6/CS Product #: 06100.0106	 EASY POUR®,(BLK) 12/CS Product #: 06100.0112
 EASY POUR®,(BLK) 24/CS Product #: 06100.0124	 EASY POUR®,(ORN) 1/CS Product #: 06101.0101	 EASY POUR®,(ORN) 2/CS Product #: 06101.0102	 EASY POUR®,(ORN) 3/CS Product #: 06101.0103	 EASY POUR®,(ORN) 24/CS Product #: 06101.0124
 DECANTER,GLASS-BLK 12C 24/CS Product #: 42400.0024	 DECANTER,GLASS-BLK 12CUP 1PK Product #: 42400.0101	 DECANTER,GLASS-BLK 12C 3/CS Product #: 42400.0103	 DECANTER,GLASS-ORN 12C 24/CS Product #: 42401.0024	 DECANTER, GLASS-ORN 12 CUP 1PK Product #: 42401.0101

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



Serving & Holding Options: AXIOM®-DV-3 (3 Lower Warmers)(38700.0009)



DECANTER, GLASS-ORN
12C 3/CS

Product #: 42401.0103



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

