

# AXIOM®-DV-APS

Height: 23.6" Width: 9.0" Depth: 22.5"  
(59.9cm) (22.9cm) (57.2cm)



- Adjusts automatically to varying water pressure
- Electronic diagnostics and built-in tank drain make service easier
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Ensure coffee quality with programming for brew level, cold brew lock-out and tank temperature, set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature precision
- Brews directly into 1.9 to 3L airpots
- Energy-saver mode reduces tank temperature during idle periods
- Hot water faucet
- SplashGard® funnel deflects hot liquids away from the hand
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

 Server(s) sold separately

Agency:



## Specifications

**Product #:** 38700.0010

**Faucet:** Upper

**Water Access:** Plumbed

**Finish:** Stainless

**Funnel:** Black Plastic

## Additional Features

DBC

## Electrical & Capacity

| Volts*  | Amps | Watts | Cord Attached | Plug Type  | 8oz cups/hr<br>236ml cups/hr | Input H <sub>2</sub> O Temp. | Phase | # Wires plus Ground | Hertz |
|---------|------|-------|---------------|------------|------------------------------|------------------------------|-------|---------------------|-------|
| 120     | 12.5 | 1500  | Yes           | NEMA 5-15P | 67                           | 60°F (15.5°C)                | 1     | 2                   | 60    |
| 120/208 | 13   | 2680  | -             | N/A        | 121                          | 60°F (15.5°C)                | -     | -                   | -     |
| 120/240 | 15   | 3550  | -             | N/A        | 121                          | 60°F (15.5°C)                | -     | -                   | -     |

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

| PSI   | kPa     | Fitting Supplied        | Water Flow Required (GPM) |
|-------|---------|-------------------------|---------------------------|
| 20-90 | 138-621 | 1/4" Male Flare Fitting | -                         |

## CAD Drawings


| 2D | Revit | KLC |
|----|-------|-----|
| ●  |       |     |

 **WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/21/2026



| Unit    |          |         |          | Shipping |          |          |            |           |
|---------|----------|---------|----------|----------|----------|----------|------------|-----------|
|         | Height   | Width   | Depth    | Height   | Width    | Depth    | Weight     | Volume    |
| English | 23.6 in. | 9.0 in. | 22.5 in. | 29.0 in. | 11.9 in. | 25.8 in. | 35.200 lbs | 5.145 ft³ |
| Metric  | 59.9 cm  | 22.9 cm | 57.2 cm  | 73.7 cm  | 30.2 cm  | 65.6 cm  | 15.967 kgs | 0.146 m³  |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/21/2026

## Related Products & Accessories:AXIOM®-DV-APS(38700.0010)

|                                                                                                                                                                      |                                                                                                                                                                      |                                                                                                                                                                      |                                                                                                                                                                        |                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>FUNNEL W/DECAL,PPK<br/>NAR BLK(SM)</p> <p>Product #: 02774.0011<sup>2</sup></p> |  <p>FUNNEL W/DECAL,PPK<br/>NAR BLK(LG)</p> <p>Product #: 04274.0012<sup>2</sup></p> |  <p>FILTERS,REGULAR1M<br/>500/2 50/CL</p> <p>Product #: 20115.0000</p>              |  <p>FUNNEL ASSY, SST-BLK<br/>HDL(7.12)</p> <p>Product #: 20216.0000<sup>2</sup></p> |  <p>FUNNEL W/DECALS,<br/>BLACK PLASTIC</p> <p>Product #: 20583.0003<sup>2</sup></p> |
|  <p>FUNNEL ASSY, SST-PP<br/>BLK HDL</p> <p>Product #: 29151.0000<sup>2</sup></p>    |  <p>FUNNEL ASSY,SST-PP<br/>ORANGE HDL</p> <p>Product #: 29151.0001<sup>2</sup></p>  |  <p>WATER FILTER<br/>SYSTEM,EQ-17-TL</p> <p>Product #: 30200.1000<sup>3</sup></p>   |  <p>WATER FILTER,IN LINE<br/>ED-17-TL</p> <p>Product #: 30201.1001<sup>3</sup></p>  |  <p>FUNNEL AY,W/DECAL<br/>GRT "C"7.12</p> <p>Product #: 34559.0000<sup>2</sup></p>  |
|  <p>SYSTEM, WEQ-10(1.5)5L</p> <p>Product #: 56000.0024<sup>1</sup></p>            |  <p>CARTRIDGE, WEQ-10<br/>(1.5)5L</p> <p>Product #: 56000.0121<sup>1</sup></p>    |  <p>CARTRIDGE, WEQ-10.3<br/>(1.67)5L</p> <p>Product #: 56000.0137<sup>1</sup></p> |                                                                                                                                                                        |                                                                                                                                                                        |

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Vivreau Ltd <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/21/2026

Serving & Holding Options: AXIOM®-DV-APS(38700.0010)

|                                                                                   |                                                                                   |                                                                                   |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |
| AIRPOT, 2.5L SST LA<br>SINGLE PK                                                  | AIRPOT, 2.5L SST LA 6/<br>CASE                                                    | AIRPOT, 3.0L SST LA<br>SINGLE PK                                                  | AIRPOT, 3.0L SST LA 6/<br>CASE                                                      |
| Product #: 32125.0000 <sup>6</sup><br>Mfr#:SVAP-2500F-N                           | Product #: 32125.0100 <sup>6</sup><br>Mfr#:SVAP-2500F-N                           | Product #: 32130.0000 <sup>6</sup><br>Mfr#:SVAP-3000F-N                           | Product #: 32130.0100 <sup>6</sup><br>Mfr#:SVAP-3000F-N                             |

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Vivreau Ltd <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/21/2026

