

AXIOM®-TWIN-APS

Height: 23.5" Width: 16.0" Depth: 22.2"
(59.7cm) (40.6cm) (56.4cm)



- Adjusts automatically to varying water pressure
- Electronic diagnostics and built-in tank drain make service easier
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Ensure coffee quality with programming for brew level, cold brew lock-out and tank temperature, set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature precision
- Brews directly into 1.9 to 3L airpots
- Energy-saver mode reduces tank temperature during idle periods
- Hot water faucet
- SplashGard® funnels deflect hot liquids away from the hand
- Twin brew head system
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

 Server(s) sold separately

Agency:



Specifications

Product #: 38700.0013

Faucet: Upper

Water Access: Plumbed

Finish: Stainless

Funnel: Stainless Steel

Additional Features

DBC

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120/240	26	6100	No	-	240	60°F (15.5°C)	1	3	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

CAD Drawings


2D	Revit	KLC
●		

 **WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	23.5 in.	16.0 in.	22.2 in.	28.5 in.	19.9 in.	25.8 in.	52.950 lbs	8.462 ft³
Metric	59.7 cm	40.6 cm	56.4 cm	72.4 cm	50.5 cm	65.6 cm	24.018 kgs	0.240 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Related Products & Accessories:AXIOM®-TWIN-APS(38700.0013)

 FUNNEL W/DECAL,PPK NAR BLK(SM) Product #: 02774.0011²	 FUNNEL W/DECAL,PPK NAR BLK(LG) Product #: 04274.0012²	 FILTERS,REGULAR1M 500/2 50/CL Product #: 20115.0000	 FUNNEL ASSY, SST-BLK HDL(7.12) Product #: 20216.0000²	 FUNNEL ASSY,SST-BLK HDL(7.62) Product #: 20217.0000²
 FUNNEL ASSY, SST-PP BLK HDL Product #: 29151.0000²	 FUNNEL ASSY,SST-PP ORANGE HDL Product #: 29151.0001²	 FUNNEL AY,W/DECAL GRT "C"7.12 Product #: 34559.0000²	 WATER FILTER, EQHP-10L Product #: 39000.0001³	 WATER FILTER, EQHP-10 Product #: 39000.0004³
 WATER FILTER, SCALE- PRO Product #: 39000.0010¹	 SYSTEM, WQ-55(2)5L Product #: 56000.0001¹	 SYSTEM, WQ-55(2)5 Product #: 56000.0004¹	 SYSTEM, WQ-SCALE- PRO.X-150(15) Product #: 56000.0010¹	 SYSTEM, WEQ-10(1.5)5L Product #: 56000.0024¹

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Related Products & Accessories:AXIOM®-TWIN-APS(38700.0013)

 SYSTEM, WEQ-10(1.5)5 Product #: 56000.0027 ¹	 SYSTEM, WEQ-SCALE-PRO.X Product #: 56000.0033 ¹	 CARTRIDGE, WQ-55(2)5L Product #: 56000.0101 ¹	 CARTRIDGE, WQ-55(2)5 Product #: 56000.0104 ¹	 CARTRIDGE, WQ-SCALE-PRO.X-150(15) Product #: 56000.0110 ¹
 CARTRIDGE, WEQ-SCALE-PRO.X Product #: 56000.0120 ¹	 CARTRIDGE, WEQ-10 (1.5)5L Product #: 56000.0121 ¹	 CARTRIDGE, WEQ-10 (1.5)5 Product #: 56000.0122 ¹		

Serving & Holding Options: AXIOM®-TWIN-APS(38700.0013)

			
AIRPOT, 2.5L SST LA SINGLE PK	AIRPOT, 2.5L SST LA 6/ CASE	AIRPOT, 3.0L SST LA SINGLE PK	AIRPOT, 3.0L SST LA 6/ CASE
Product #: 32125.0000 ⁶ Mfr#:SVAP-2500F-N	Product #: 32125.0100 ⁶ Mfr#:SVAP-2500F-N	Product #: 32130.0000 ⁶ Mfr#:SVAP-3000F-N	Product #: 32130.0100 ⁶ Mfr#:SVAP-3000F-N



