

WAVE15-APS, PF

Height: 17.4" Width: 9.7" Depth: 17.9"
(44.2cm) (24.6cm) (45.5cm)



- BrewMETER® allows automatic programming of pulse routine
- Adjustable legs to accommodate up to 3.0L lever action and 2.5L push button BUNN airpots and thermal servers
- Brew into 1.9L thermal carafe using the slide-out booster tray
- Four-digit LED read-out for simple programming
- Utilize the same LED read-out for brewer status (Ready, Heating, Brewing)
- SmartWAVE technology increases turbulence in the brew funnel
- Standard Version
- Energy-saver mode reduces tank temperature during idle periods
- Ensures coffee brew quality with cold brew lock out capability
- SplashGard® funnel deflects hot liquids away from the hand
- Servers not included unless otherwise noted

 Server(s) sold separately

Agency:



Specifications

Product #: 39900.0005

Faucet: Lower

Water Access: Plumbed

Finish: Stainless

Funnel: Black Plastic

Additional Features

BrewMETER

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120	11.3	1350	Yes	NEMA 5-15P	62	60°F (15.5°C)	1	2	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

 **WARNING:**





CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	17.4 in.	9.7 in.	17.9 in.	19.5 in.	12.4 in.	19.5 in.	24.350 lbs	2.723 ft ³
Metric	44.2 cm	24.6 cm	45.5 cm	49.5 cm	31.4 cm	49.5 cm	11.045 kgs	0.077 m ³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Related Products & Accessories:WAVE15-APS, PF(39900.0005)

 FUNNEL W/DECAL,PPK NAR BLK(SM) Product #: 02774.0011²	 FUNNEL W/DECAL,PPK NAR BLK(LG) Product #: 04274.0012²	 FILTERS,REGULAR1M 500/2 50/CL Product #: 20115.0000	 FUNNEL ASSY, SST-BLK HDL(7.12) Product #: 20216.0000²	 FUNNEL W/DECALS, BLACK PLASTIC Product #: 20583.0003²
 FUNNEL ASSY, SST-PP BLK HDL Product #: 29151.0000²	 FUNNEL ASSY,SST-PP ORANGE HDL Product #: 29151.0001²	 WATER FILTER SYSTEM,EQ-17-TL Product #: 30200.1000³	 WATER FILTER,IN LINE ED-17-TL Product #: 30201.1001³	 FUNNEL AY,W/DECAL GRT "C"7.12 Product #: 34559.0000²
 SYSTEM, WEQ-10(1.5)5L Product #: 56000.0024¹	 CARTRIDGE, WEQ-10 (1.5)5L Product #: 56000.0121¹	 CARTRIDGE, WEQ-10.3 (1.67)5L Product #: 56000.0137¹		

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Serving & Holding Options: WAVE15-APS, PF(39900.0005)

 TSR-1,THERMAL SRVR RACK-1 POSN Product #: 18008.6001	 AIRPOT, 2.5L SST LA SINGLE PK Product #: 32125.0000⁶ Mfr#:SVAP-2500F-N	 AIRPOT, 2.5L SST LA 6/ CASE Product #: 32125.0100⁶ Mfr#:SVAP-2500F-N	 AIRPOT, 3.0L SST LA SINGLE PK Product #: 32130.0000⁶ Mfr#:SVAP-3000F-N	 AIRPOT, 3.0L SST LA 6/ CASE Product #: 32130.0100⁶ Mfr#:SVAP-3000F-N
 THERMAL CARAFE, BLK 1.83 L 1PK Product #: 36029.0001⁵ Mfr#:SH-DE19A	 THERMAL CARAFE,ORN 1.9L 12PK Product #: 36252.0000⁵ Mfr#:SH-DE19A	 THERMAL CARAFE,ORN 1.9L 1PK Product #: 36252.0001⁵ Mfr#:SH-DE19A	 PITCHER,SST 1.9L TALL- SNGL PK Product #: 39430.0000⁶ Mfr#:SVP-1901DSG	 PITCHER,SST 1.9L TALL-6/CASE Product #: 39430.0100⁶ Mfr#:SVP-1901DSG
 CARAFE,SST 1.9L SHRT BLK 1 Product #: 40163.0000⁶	 NO IMAGE AVAILABLE THERMAL SRVR, 2.5L 6/ CS NO BASE GL LINR Product #: 45882.0001¹			

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



