

IC3-DBC

Height: 37.5" Width: 13.3" Depth: 24.3"
(95.3cm) (33.8cm) (61.7cm)



- Brews 20 gallons (75.7 liters) of perfect iced coffee per hour
- Designed to brew directly into the TDO-5 Dispenser with Brew-Thru Lid
- Meet your volume needs; brew either 2 or 3 gallons (7.57 or 11.36 liters) of iced coffee at a time
- Customizable recipes
- SplashGard® funnel deflects hot liquids away from the hand

 Server(s) sold separately

Agency:



Specifications

Product #: 45100.0101

Faucet: Side

Water Access: Plumbed

Finish: Stainless

Funnel: Stainless Steel

Additional Features

DBC

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120/208	19.5	4050	No	-	-	60°F (15.5°C)	1	3	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00

 **WARNING:**


CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	37.5 in.	13.3 in.	24.3 in.	41.4 in.	15.5 in.	29.0 in.	69.000 lbs	10.761 ft³
Metric	95.3 cm	33.8 cm	61.7 cm	105.3 cm	39.4 cm	73.5 cm	31.298 kgs	0.305 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Related Products & Accessories:IC3-DBC(45100.0101)

 FILTERS,U3 18x7 252CS 252/1 36/CL Product #: 20109.0000	 WATER FILTER, EQHP-10L Product #: 39000.0001³	 FUNNEL ASSY W/ BASKET Product #: 45845.0002²	 SYSTEM, WQ-55(2)5L Product #: 56000.0001¹	 SYSTEM, WEQ-10(1.5)5L Product #: 56000.0024¹
 CARTRIDGE, WQ-55(2)5L Product #: 56000.0101¹	 CARTRIDGE, WEQ-10 (1.5)5L Product #: 56000.0121¹			

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



Serving & Holding Options: IC3-DBC(45100.0101)

 TDO-5, RESERVOIR, BREW THRU Product #: 34100.0003¹	 TDO-N-2.0 LP, RSVR W/ HEM Product #: 39600.0066¹	 TDO-N-3.5,RSVR W/ PINCHTUBE/BREW THRU LID Product #: 39600.0083¹	 TD3T-N, RSVR BREW THRU LID BUNN Product #: 43900.0001¹
---	---	---	---

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



