

ITCB-DV HV (High Volume)

Height: 35.0" Width: 10.0" Depth: 24.3"
(88.9cm) (25.4cm) (61.7cm)



- Sleek modernized design language, with rounded angles on the corners and trunk
- Brews into 1.5 gallon and 1.0 gallon BUNN Thermofresh servers for coffee, and TD4T, TDO and TDO-N tea dispensers
- Digital readout displays in English, Spanish, or French --- for easier programming and control
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Includes overlay kit for customization of brewer interface
- Hot water faucet (supplied for custom installation)

Agency:

 Servers Sold Separately



Specifications

Product #: 52300.0100

Water Access: Plumbed

Interface: Wireless

Finish: Stainless

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	82	60°F (15.5°C)	1	2	60
120/208	14	2900	-	N/A	136	60°F (15.5°C)	1	3	60
120/240	17	4050	-	N/A	181	60°F (15.5°C)	1	3	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.25

CAD Drawings


2D	Revit	KLC
●		

 **WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.0 in.	10.0 in.	24.3 in.	38.1 in.	14.3 in.	32.3 in.	58.360 lbs	10.139 ft³
Metric	88.9 cm	25.4 cm	61.7 cm	96.8 cm	36.2 cm	81.9 cm	26.472 kgs	0.287 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Related Products & Accessories:ITCB-DV HV (High Volume)(52300.0100)

 FILTERS, GOURMET 500 500/1 50/CL Product #: 20138.1000	 WATER FILTER, EQHP-10 Product #: 39000.0004³	 WATER FILTER, EQHP-TEA Product #: 39000.0007	 FUNNEL ASSY, SMART COFFEE BLK-CLEARED Product #: 53463.0021	 FUNNEL ASSY, TEA NATURAL QUICK BREW Product #: 53463.0023
 FUNNEL ASSY, SMART COFFEE BLK-CLEARED Product #: 53463.0038²	 FUNNEL ASSY, TEA NATURAL QUICK BREW Product #: 53463.0039²	 STAND ASSY KIT, TF SERVER Product #: 54473.1000	 SYSTEM, WQ-55(2)5 Product #: 56000.0004¹	 SYSTEM, WQ-SFTN4000 (1.5)10 TEA Product #: 56000.0021¹
 SYSTEM, WEQ-10(1.5)5L Product #: 56000.0024¹	 SYSTEM, WEQ-10(1.5)5 Product #: 56000.0027¹	 SYSTEM, WEQ-SFTN3500(1)10 TEA Product #: 56000.0030	 CARTRIDGE, WQ-55(2)5 Product #: 56000.0104¹	 CARTRIDGE, WEQ-10 (1.5)5L Product #: 56000.0121¹

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Related Products & Accessories:ITCB-DV HV (High Volume)(52300.0100)



CARTRIDGE, WEQ-10
(1.5)5

Product #: 56000.0122¹



CARTRIDGE, WEQ-
SFTN3500(1)10 TEA

Product #: 56000.0129¹



CARTRIDGE, WQ-
SFTN4000(1.5)10 TEA

Product #: 56000.0133¹

Serving & Holding Options: ITCB-DV HV (High Volume)(52300.0100)



TD4, SIGHT GAUGE
SWT/UNSWT HDL

Product #: 03250.0003¹



TD4T, SIGHT GAUGE
NUDGER HDL

Product #: 03250.0004¹



TD4T, BREW THRU LID
NUDGER HDL

Product #: 03250.0005¹



TD4, BREW THRU LID
SWT/UNSWT HDL

Product #: 03250.0006¹



TD4T, BREW THRU LID
NO DECAL NUDGER
HDL

Product #: 03250.0018¹



AIRPOT, 2.5L SST LA
SINGLE PK

Product #: 32125.0000⁶

Mfr#:SVAP-2500F-N



AIRPOT, 3.0L SST LA
SINGLE PK

Product #: 32130.0000⁶

Mfr#:SVAP-3000F-N



TDS-3, 3 GAL

Product #: 33000.0000¹



TDS-3.5, 3.5 GAL

Product #: 33000.0023¹



TDO-4, RESERVOIR

Product #: 34100.0000¹



TDO-5, RESERVOIR

Product #: 34100.0001¹



TDO-4, RESERVOIR
BREW THRU

Product #: 34100.0002¹



TDO-5, RESERVOIR,
BREW THRU

Product #: 34100.0003¹



THERMAL CARAFE, BLK
1.83 L 1PK

Product #: 36029.0001⁵

Mfr#:SH-DE19A



THERMAL CARAFE, ORN
1.9L 1PK

Product #: 36252.0001⁵

Mfr#:SH-DE19A



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Serving & Holding Options: ITCB-DV HV (High Volume)(52300.0100)

				
TDO-N-3.5, RSVR	TDO-N-3.5, RSVR W/ LIFT HANDLE	TDO-N-3.5, RSVR W/ PINCH TUBE	TF SERVER, 1G DSG GEN3 NOBASE	TF SERVER, 1G MECH GEN3 NOBASE
Product #: 39600.0001 ¹	Product #: 39600.0031 ¹	Product #: 39600.0047 ¹	Product #: 42700.0250 ¹	Product #: 44000.0250 ¹



