

ITCB TWIN HV

Height: 35.0" Width: 20.5" Depth: 23.8"
(88.9cm) (52.1cm) (60.5cm)



- Brews into 1.5 gallon and 1.0 gallon BUNN Thermofresh servers for coffee, and TD4T, TDO and TDO-N tea dispensers
- Digital readout displays in English, Spanish, or French --- for easier programming and control
- Large 5.6 gallon (21.2L) tank provides back-to-back brewing capacity
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Includes overlay kit for customization of brewer interface
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brews coffee or tea on both sides - Mix and Match to meet your needs
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Hot water faucet (supplied for custom installation)

Agency:

 Server(s) sold separately



Specifications

Product #: 52400.0000

Water Access: Plumbed

Finish: Stainless

Faucet: Variable

Additional Features

Funnel Locks

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120/240	25	6000	Yes/	-	672	60°F (15.5°C)	1	3	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" BSPP	1.25

CAD Drawings


2D	Revit	KLC
●		

 **WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.0 in.	20.5 in.	23.8 in.	35.0 in.	20.5 in.	26.4 in.	95.360 lbs	10.962 ft³
Metric	88.9 cm	52.1 cm	60.5 cm	88.9 cm	52.1 cm	67.1 cm	43.255 kgs	0.310 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Related Products & Accessories:ITCB TWIN HV(52400.0000)

			
FILTERS, GOURMET 500 500/1 50/CL	FUNNEL ASSY, SMART COFFEE BLK-CLEARED	FUNNEL ASSY, TEA NATURAL QUICK BREW	FUNNEL ASSY, TEA NATURAL QUICK BREW
Product #: 20138.1000	Product #: 53463.0021	Product #: 53463.0023	Product #: 53463.0036

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



Serving & Holding Options: ITCB TWIN HV(52400.0000)

 TD4, SIGHT GAUGE SWT/UNSWT HDL Product #: 03250.0003¹	 PD4T, SIGHT GAUGE NUDGER HDL Product #: 03250.0004¹	 TD4T, BREW THRU LID NUDGER HDL Product #: 03250.0005¹	 TD4, BREW THRU LID SWT/UNSWT HDL Product #: 03250.0006¹	 TD4T, BREW THRU LID NO DECAL NUDGER HDL Product #: 03250.0018¹
 AIRPOT, 2.5L SST LA SINGLE PK Product #: 32125.0000⁶ Mfr#:SVAP-2500F-N	 AIRPOT, 3.0L SST LA SINGLE PK Product #: 32130.0000⁶ Mfr#:SVAP-3000F-N	 TDS-3, 3 GAL Product #: 33000.0000¹	 TDS-3.5, 3.5 GAL Product #: 33000.0023¹	 TDO-4, RESERVOIR Product #: 34100.0000¹
 TDO-5, RESERVOIR Product #: 34100.0001¹	 TDO-4, RESERVOIR BREW THRU Product #: 34100.0002¹	 TDO-5, RESERVOIR, BREW THRU Product #: 34100.0003¹	 TDO-N-3.5, RSVR Product #: 39600.0001¹	 TDO-N-3.5, RSVR W/ LIFT HANDLE Product #: 39600.0031¹

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Serving & Holding Options: ITCB TWIN HV(52400.0000)

 TDO-N-3.5, RSVR W/ PINCH TUBE Product #: 39600.0047 ¹	 TF SERVER, 1G DSG GEN3 Product #: 42700.0200 ¹	 TF SERVER, 1.5G DSG GEN3 Product #: 42750.0200 ¹	 TD3T-N, RSVR BREW THRU LID BUNN Product #: 43900.0001 ¹	 TD3T-N, RSVR SOLID LID BUNN Product #: 43900.0002 ¹
---	--	--	---	---

 TF SERVER, 1G MECH GEN3 Product #: 44000.0200 ¹	 TF SERVER, 1.5G MECH GEN3 Product #: 44050.0200 ¹
---	---

