

ITCB Dual-Volt High Volume, PE

Height: 35.0" Width: 10.0" Depth: 24.3"
(88.9cm) (25.4cm) (61.7cm)



- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- Brews into 1.5 gallon and 1.0 gallon BUNN ThermoFresh® servers for coffee and TD4T, TDO and TDO-N tea dispensers
- Includes both coffee (Stainless) and tea (Plastic) funnels
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- BrewWISE® intelligence with pre-infusion and pulse brew for maximum flavor extraction
- Energy-saver mode reduces tank temperature during idle periods
- Large 3gal (11.4L) tank provides back-to-back brewing capacity
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- Optional BUNNlink® remote monitoring support (kit required)

Agency:

 Server(s) sold separately



Specifications

Product #: 54000.0100

Water Access: Plumbed

Interface: Wireless

Finish: Stainless

Funnel: Stainless Steel

Funnel: Translucent Tea Funnel

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	82	60°F (15.5°C)	1	2	60
120/208	14	2900	-	N/A	136	60°F (15.5°C)	1	3	60
120/240	17	4050	-	N/A	183	60°F (15.5°C)	1	3	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.25

CAD Drawings


2D	Revit	KLC
●		

 **WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.0 in.	10.0 in.	24.3 in.	38.1 in.	14.3 in.	32.3 in.	78.400 lbs	10.139 ft³
Metric	88.9 cm	25.4 cm	61.7 cm	96.8 cm	36.2 cm	81.9 cm	35.562 kgs	0.287 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Related Products & Accessories:ITCB Dual-Volt High Volume, PE(54000.0100)

 FILTERS, GOURMET 500 500/1 50/CL Product #: 20138.1000	 NON-LOCKING STAND ASSY, TF SERVER GEN3 Product #: 39795.0200	 STAND ASSY KIT, TF SERVER Product #: 54473.1000	FUNNEL ASSY, SST INFUSION COFFEE Product #: 54675.0001	 KIT, BUNNLINK WIFI TEA AND INFUSION Product #: 57132.0003
--	--	---	--	---



KIT, LTE BUNNLINK
BOARD TEA AND
INFUSION

Product #: 57133.0003

Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)

 TD4T, SIGHT GAUGE NUDGER HDL Product #: 03250.0004¹	 TD4T, BREW THRU LID NUDGER HDL Product #: 03250.0005¹	 TD4T, BREW THRU LID NO DECAL NUDGER HDL Product #: 03250.0018¹	 AIRPOT, 2.5L SST LA / CASE Product #: 32125.0100⁶ Mfr#:SVAP-2500F-N	 AIRPOT, 3.0L SST LA SINGLE PK Product #: 32130.0000⁶ Mfr#:SVAP-3000F-N
 AIRPOT, 3.0L SST LA / CASE Product #: 32130.0100⁶ Mfr#:SVAP-3000F-N	 TDS-3, 3 GAL Product #: 33000.0000¹	 TDS-3.5, 3.5 GAL Product #: 33000.0023¹	 TDO-4, RESERVOIR Product #: 34100.0000¹	 TDO-5, RESERVOIR Product #: 34100.0001¹
 TDO-4, RESERVOIR BREW THRU Product #: 34100.0002¹	 TDO-5, RESERVOIR, BREW THRU Product #: 34100.0003¹	 THERMAL CARAFE, BLK 1.9L 12PK Product #: 36029.0000⁵ Mfr#:SH-DE19A	 THERMAL CARAFE, BLK 1.83 L 1PK Product #: 36029.0001⁵ Mfr#:SH-DE19A	 THERMAL CARAFE, ORN 1.9L 12PK Product #: 36252.0000⁵ Mfr#:SH-DE19A

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Vivreau Ltd ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)

 THERMAL CARAFE,ORN 1.9L 1PK Product #: 36252.0001⁵ Mfr#:SH-DE19A	 AIRPOT, 3.8L SST LA SINGLE PK Product #: 36725.0000⁶ Mfr#:SVAP-3800F-N	 AIRPOT, 3.8L SST LA 6/ CASE Product #: 36725.0100⁶ Mfr#:SVAP-3800F-N	 TDO-N-3.5, RSVR Product #: 39600.0001¹	 TDO-N-4.0, RSVR BUNN Product #: 39600.0002¹
 TDO-N-3.5, RSVR W/ LIFT HANDLE Product #: 39600.0031¹	 TDO-N-3.5, RSVR W/ PINCH TUBE Product #: 39600.0047¹	 TF SERVER, DSG2 1G/3.8L Product #: 42700.0000¹	 TF SERVER, 1G DSG GEN3 Product #: 42700.0200¹	 TF SERVER, DSG2 1.5G SST Product #: 42750.0000¹
 TF SERVER, DSG2 1.5G BLK Product #: 42750.0001¹	 TF SERVER, DSG2 1.5G CD Product #: 42750.0003¹	 TF SERVER, 1.5G DSG GEN3 Product #: 42750.0200¹	 TF SERVER, 1G/3.8L MECH Product #: 44000.0000¹	 TF SERVER, 1G MECH GEN3 Product #: 44000.0200¹



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)



TF SERVER, 1.5G/5.7L
MECH

Product #: 44050.0000¹



TF SERVER, 1.5G/5.7L
MECH BLK

Product #: 44050.0001¹



TF SERVER, 1.5G MECH
GEN3

Product #: 44050.0200¹



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/21/2026

