

25" Refrigerator Merchandiser Single Glass Door

Model: PLM-HGD16R



- Tested to NSF Standard 3 requirements for sealed food storage.
- Interior cabinet is bright white with stainless steel floor with coved corners.
- Exterior cabinet construction consists of black epoxy coated aluminum.
- Bottom mounted compressor for more efficient operation in coolest area of kitchen.
- Electronic thermostat with external digital LED display for accurate control and easy reading.
- Interior LED lighting.
- Larger fan motors and blades for more efficient air flow ensuring faster recovery times.
- Efficient condensate hot gas loop build into condensate pan for energy saving evaporation of excess condensate water.
- Self-contained capillary tube system using environmentally friendly R290 Hydrocarbon gas.
- 3 adjustable, heavy-duty epoxy coated wire shelves with shelf indicator channels.
- Front accessible, bottom mounted condensing unit is mounted on slide out rack for easy maintenance.
- Blank white back-lit display panel.
- Self closing lockable door.
- Magnetic door gasket is removable and replaceable without tools.
- Easy to mount caster (2 lockable) are standard with all units.

Toll Free: +1 (800) 373-8699
polarman@chefmindgroup.com
Address: 1189S Jellick Ave,
City of Industry, CA 91748




25" Refrigerator Merchandiser Single Glass Door

Model: PLM-HGD16R

•Certified to ANSI/NSF Standard 7



| MODEL | EXTERNAL DIMENSION inch | V/Hz/Ph | STORAGE CAPACITY Cu-ft | Epoxy Coated Shelves | TEMPERATURE | REFRIGERANT | AMPS | CORD LENGTH | NEMA PLUG | SHIPPING WEIGHT (lbs.) |
|------------|-------------------------|-------------|------------------------|----------------------|-------------|-------------|------|-------------|-----------|------------------------|
| PLM-HGD16R | 25 x 26 x 74 1/16 | 115V/60Hz/1 | 16 | 3 | 33°F-41°F | R290 | 3 | 8' | 5-15P | 282 |



**2 YEAR PARTS WARRANTY
5 YEAR COMPRESSOR WARRANTY**

CHEFMIND GROUP INC.
SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



Intertek

Intertek