

# Polarman

[www.polarmanusa.com](http://www.polarmanusa.com)

Project name : \_\_\_\_\_

Location : \_\_\_\_\_

Item# : \_\_\_\_\_ QTY : \_\_\_\_\_

Model# : \_\_\_\_\_

## 53 15/16" Freezer Merchandiser Single Glass Door

### Model: PLM-HGD48F



- Tested to NSF Standard 3 requirements for sealed food storage.
- Interior cabinet is bright white with stainless steel floor with coved corners.
- Exterior cabinet construction consists of black epoxy coated aluminum.
- Bottom mounted compressor for more efficient operation in coolest area of kitchen.
- Electronic thermostat with external digital LED display for accurate control and easy reading.
- Interior LED lighting.
- Larger fan motors and blades for more efficient air flow ensuring faster recovery times.
- Efficient condensate hot gas loop build into condensate pan for energy saving evaporation of excess condensate water.
- Self-contained capillary tube system using environmentally friendly R290 Hydrocarbon gas.
- 8 adjustable, heavy-duty epoxy coated wire shelves with shelf indicator channels.
- Blank white back-lit display panel.
- Self closing lockable door.
- Magnetic door gasket is removable and replaceable without tools.
- Front accessible, bottom mounted condensing unit is mounted on slide out rack for easy maintenance.
- Easy to mount caster (2 lockable) are standard with all units.

Toll Free: +1 (800) 373-8699  
[polarman@chefmindgroup.com](mailto:polarman@chefmindgroup.com)  
Address: 1189S Jellick Ave,  
City of Industry, CA 91748




## 53 15/16" Freezer Merchandiser Single Glass Door

### Model: PLM-HGD48F

**•Certified to ANSI/NSF Standard 7**



MODEL	EXTERNAL DIMENSION inch	V/Hz/Ph	STORAGE CAPACITY Cu-ft	Epoxy Coated Shelves	TEMPERATURE	REFRIGERANT	AMPS	CORD LENGTH	NEMA PLUG	SHIPPING WEIGHT (lbs.)
PLM-HGD48F	53 15/16 x 31 7/8 x 79 1/2	115V/60Hz/1	48	8	-10°F	R290	9	8'	5-15P	567



**2 YEAR PARTS WARRANTY  
5 YEAR COMPRESSOR WARRANTY**

**CHEFMIND GROUP INC.**  
SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



Intertek



Intertek